

## **Large Scientific Facilities**









#### **Small Test Facilities**





#### **Advanced Acceleration**






## Industrial / Medical













Beam exists in 6-D position-momentum phase space

Measure 2-D projections or reconstruct based on perturbations of upstream controls

Can have dozens-to-hundreds of controllable variables and hundreds-of-thousands to measure







~400 hours spent tuning per year

Changing configurations roughly 2-5 times per day

Average setup time is ~30 minutes






Approximate Annual Budget: \$145 million
Approximate hours of experiment delivery per year: 5000
About \$30k per experiment hour to run!


400 hours hand-tuning in a year


\$12 million value ~10 additional experiments





## Efficient tuning matters to maximize scientific output

Achieving fundamentally higher beam quality or new beam parameters can enable new science










Rapid beam customization

Achieve new configurations + unprecedented beam parameters

Fine control to maintain stability within tolerances

## In a perfect world...






## Use a fast, accurate model ...


- find some knobs that give us the beam we want and apply those to the machine
  - get info about unobserved parts of machine (online model / virtual diagnostic)
    - do offline planning and control algorithm prototyping

## In reality things are much more difficult...





## computationally expensive simulations






fluctuations/noise (e.g. laser spot)






"10 hours on thousands of cores at the NERSC"


J. Qiang, et al., PRSTAB30, 054402. 2017



many small, compounding sources of uncertainty



hidden variables / sensitivities




drift over time


nonlinear effects / instabilities

ML can help with speed, accuracy, and uncertainty estimates for models


## We rely heavily on operators for day-to-day control tasks ...




## We rely heavily on operators for day-to-day control tasks ...




...many analogous techniques in optimization, machine learning, computer vision, etc.






#### Trained neural network on simulation data

#### → ~ million times faster execution



#### Wide scan of 6 settings in Bmad


Variable	Min	Max	Nominal	Unit
LI Phase	-40	-20	-25.1	deg
L2 Phase	-50	0	-41.4	deg
L3 Phase	-10	10	0	deg
L1 Voltage	50	110	100	percent
L2 Voltage	50	110	100	percent
L3 Voltage	50	110	100	percent





NN predicts 25 scalar outputs ( $\sigma_{x,y,z}$   $\varepsilon_{x,y}$   $\sigma_{x',y'}$   $\sigma_E$  etc...) and phase space at the undulator entrance

#### Trained neural network on simulation data

#### → ~ million times faster execution








NN predicts 25 scalar outputs ( $\sigma_{x,y,z}$   $\varepsilon_{x,y}$   $\sigma_{x',y'}$   $\sigma_E$  etc...) and phase space at the undulator entrance


#### Trained neural network on simulation data

## → ~ million times faster execution











NN predicts 25 scalar outputs  $(\sigma_{x,y,z} \ \varepsilon_{x,y} \ \sigma_{x',y'} \ \sigma_E \ \text{etc...})$  and phase space at the undulator entrance

## Using image-based diagnostic input directly




## Can we trust these models under optimization?


#### Generate ML Model using Sparse Random Sample




#### Run GA on ML Model and Physics Simulation




Test Case with Existing Data: Argonne Wakefield Accelerator Injector




#### Compare Resulting Pareto Fronts



Required ~260x fewer simulation evaluations overall and had 10<sup>6</sup> x faster execution in equivalent optimization task






## Also useful for initial optimization with greater sample-efficiency


Can do iteratively for further improvement, or use bayes opt (later slide)


## Finding Sources of Error Between Simulations and Measurement

Real accelerator can have many non-idealities and miscalibrations not included in physics simulations

→ Neural network model allows fast / automatic exploration of possible error sources








Here: calibration offset in solenoid strength found automatically with neural network model (trained first in simulation, then calibrated to machine)

## **Uncertainty Quantification**

Need prediction uncertainties  $\rightarrow$  want to trust predictions, have safe exploration of parameter space


#### Current approaches

- Ensembles
- Gaussian Processes
- Bayesian NNs
- Quantile Regression




Neural network with quantile regression predicting FEL pulse energy at LCLS

https://github.com/lipiqupta/FEL-UQ/blob/main/notebooks/QR--Interp-2.ipynb



Bayesian neural network predicting scalar parameters for the LCLS-II injector



Simulation Blur

Neural Network

Simulation Raw

0.4

0.10

Test shot within trained distribution Out-of-distribution 90% [0.95-0.05] - quantile ₹ <sup>2.0</sup> Current profile [kA] ] 1.5 1.0 0.5 0.0 -200 -100 100 -200 -100 Ó 100 200


Longitudinal phase space beam profiles

O. Convery, PRAB, 2021

LCLS injector transverse distributions on out-of-training distribution shots, neural network ensemble

0.25 0.30 0.35 0.40 0.45 0.50 0.55 0.60

Example of prediction under large drift in inputs (and possibly hidden variables):



Uncertainty estimate from neural network ensemble does not accurately cover the OOD prediction error, but it is relatively higher than for in-distribution data


## **ML-enhanced diagnostics**

faster measurements and more information  $\rightarrow$  better control

## Virtual Diagnostics


## Real diagnostic not always available:


- destructive, cannot use during user operations
- not sensitive in entire operating range
- slower update rate than desired
- moved to another location




Can use a physics simulation if fast / accurate enough → without this, can use a learned model


## section for virtual diagnostic







# Examples for longitudinal phase space: mix of adaptively calibrated physics models and ML-based prediction...












## Prediction → Analysis

Signals used in feedback control and experimental analysis are complicated (e.g. beam images, time series)

## Can use ML to extract more useful information from these highdimensional signals









A. Marinelli, et al., Nat. Commun. 6, 6369 (2015)

A. Solopova, IPAC' 19



e- beam loses energy to photon beam

Can use e-beam images to predict unmeasured photon beam power profile -Standard method is slow/iterative and doesn't work well into saturation



CNN is faster / more accurate than standard reconstruction technique

X. Ren, A. Edelen, D. Ratner, et al., PRAB 2020

**Tuning/Optimization** 

## assumed knowledge of machine

less

more

# Model-Free Optimization

Observe performance change after a setting adjustment

→ estimate direction toward improvement

Model-guided Optimization

Update a model during each search step

→ use model to help select the next point

Bayesian optimization Reinforcement learning

## Global Modeling

+ Feedforward Corrections


Make fast / accurate system model

- → provide guess for good settings
- → make predictions about machine

Bayesian Reinforce

ML system models + inverse models

gradient descent simplex




...but convergence can be very slow + can get stuck in local minima

## **Bayesian Optimization**


Set up probabilistic model

→ e.g. Gaussian Process




Iteratively refit model while sampling new points


Use model predictions and uncertainty to guide search for optimum while sampling




## **Model-informed Bayesian optimization**


→ can design GP kernel based on expected physics





Goal: adjust focusing magnets to maximize x-ray pulse energy






Including expected correlation improves ability to model the data with fewer samples → faster optimization

1.20

## **Model-informed Bayesian optimization**

→ can design GP kernel based on expected physics



Including expected correlation improves ability to model the data with fewer samples


→ faster optimization


# Model-informed Bayesian optimization

A way to get the correlations:

Take the Hessian of a model at the expected optimum → use those correlations in the GP kernel

As long as qualitative behavior is correct in model, should result in faster convergence






A. Hanuka et al., NeurIPS 2019
A. Hanuka et al., arXiv:2009.03566 (accepted to PRAB)


Was demonstrated at SPEAR3 for minimizing the vertical emittance (beam loss rate)

→ No measured data needed, just a simulation

# Example for faster optimization of LCLS injector leveraging simulation-based surrogate model (no previous data)



Standard RBF Kernel



Kernel from Hessian of Surrogate Model (trained on IMPACT-T sims)

Both start from randomly sampling within the bounds "Baseline" is tuning solution that ops was using that day

→ Using simulation surrogate model to inform optimization allows rapid tuning to human-level quality without any previous data

## Multi-objective Bayesian optimization

Use Bayesian optimization for serial online multi-objective optimization

More sample-efficient and fills out front efficiently than other methods

Input Variables


Output Beam Parameters  $\kappa_1$   $\phi_1$   $\kappa_2$   $\phi_2$   $\sigma_{x,y,z}$   $\sigma_{x,y,z}$   $\Delta E$ Cathode


Cavity

Solenoids

Output Beam Parameters  $\epsilon_{x,y,z}$   $\delta_{x,y,z}$   $\delta_{x,y,z}$ 

→ Could be extremely useful for characterization





Can enforce smooth exploration

(no wild changes in input settings)


## Faster optimization with warm starts from global models


What if we are far away from some target beam parameters and want to switch between configurations quickly?

→ Use global model to give an initial guess at settings, then refine with local optimization ("warm start")

#### Example at LCLS:


- Two settings scanned (L1S phase, BC2 peak current);
   trained neural network model to map longitudinal phase space to settings
- Compared optimization algorithm with/without warm start







Local optimizer alone was unable to converge  $\rightarrow$  able to converge after initial settings from neural network

## Another way: run optimizer on learned online model




- Round to flat beam transforms are challenging to optimize
- Took measured scan data at Pegasus (UCLA)
- Trained neural network model to predict fits to beam image
- Tested online multi-objective optimization over model (3 quad settings) given present readings of other inputs






Results are for one full day after last training data

Can use neural network to provide first guess at solution, then fine tune with other methods...




Hand-tuning in seconds vs. tens of minutes

Significant boost in convergence speed for other algorithms




+ need UQ for all


# How to use all this together? Need dedicated investment in online compute and ML infrastructure



# Example Prototype: Running Lume-IMPACT-T and Neural Network Model of LCLS Injector Online

- Lume-IMPACT-T online
  - · Read EPICS PVs as input
  - Displays phase space predictions at OTR2
     + line plots
  - Updates every 2 minutes (length of time for one IMPACT-T run)
  - https://www.youtube.com/watch?v=P6H YfpV6xXM
- SM at YAG02
  - Continuously updates
  - Serves output PVs
  - Will update to include OTR2, line plots soon
  - https://www.youtube.com/watch?v=FZny 98PGcmU&feature=youtu.be





LUME: light source unified modeling environment: https://www.lume.science/

## ML Future Directions / Needs for Accelerator R&D

#### · Uncertainty quantification

- Detect when model may not be accurate (e.g. outside training range)
- Leverage for safe exploration of parameter space

#### Active learning

- Retraining to account for drift or adapt during search
- Sampling strategies to efficiently explore large parameter space + generate training data (maximize information with the least samples)

#### Efficient ways to handle high dimensional data:

- Images, 6D phase space
- More variables (full accelerator vs. small test cases)

#### · Physics-informed / constrained ML

- Improve robustness / generalization to unseen regions of parameter space
- Reduce need for additional data
- Extract physics from measured data

#### Differentiable Simulators

- Wide range of types of simulation codes for accelerators (analytic matrix transport codes, particle-in-cell) → relatively unexplored area

#### Interpretability

- Important for ML-based tuning, identifying physic underpinning a prediction
- Many shared challenges with other SciML domains  $\rightarrow$  accelerators are unique test beds for these kinds of problems

## Thanks for your attention!